The Role of Edge Computing in Enhancing IoT Performance in 2025

Lara Mwafaq

Al-Turath University, Baghdad 10013, Iraq. Email: lara.Mwafaq@uoturath.edu.iq

Nada Abdulkareem Hameed

Al-Mansour University College, Baghdad 10067, Iraq.

Email: nada.abdulkarim@muc.edu.iq

Choyubekova Aizhamal Myizambekovna (Corresponding author)

Osh State University, Osh City 723500, Kyrgyzstan.

Email: achoiubekoova@oshsu.kg

Qusay Mohammed Jafar

Al-Rafidain University College Baghdad 10064, Iraq.

Email: Qusay.mj@ruc.edu.iq

Waleed Nassar

Madenat Alelem University College, Baghdad 10006, Iraq.

Email: waleednassar@mauc.edu.iq

| Received: 2025 | Accepted: 2025

Abstract

Background: The growth of the number of connected devices and the extent of Internet of Things (IoT) integration has led to new and emerging needs such as the management of big data, real-time reaction, efficient bandwidth utilization, and security considerations. Due to the intrinsic latency, network load and argue of scalability, standard cloud computing models do not suffice these requirements. In response to this, edge computing the function of analyzing data closer to its source hence leading to performance gains.

Objective: This article explores the impact of incorporating edge computing in the optimization of IoT systems specifically in aspects like latency minimization, bandwidth utilization, security, processing capability, flexibility in expansion, and data reliability.

Methods: A combined computational model was used to mimic edge and cloud platforms. Performance metrics were evaluated under three primary IoT scenarios: traffic

Iranian Journal of Information Processing and Management

Iranian Research Institute for Information Science and Technology (IranDoc)

ISSN 2251-8223 eISSN 2251-8231 Indexed by SCOPUS, ISC, & LISTA Special Issue | Summer 2025 | pp.525-549 https://doi.org/10.22034/jipm.2025.728173



management of smart cities, industrial applications, and health care management applications. Regression models and confidence intervals also provided general support to the findings.

Results: The findings showed edge computing to be a more effective substitute for cloud-based systems; proving that latency can be reduced by 82%, and data bandwidth by 65-68%. Perennial threats including interception of data were cut by 50-66% while processing was done at 73% higher efficiency. Other criteria such as scalability and data consistency also pointed out the application of edge computing for resilience in more extensive IoT environment.

Conclusion: Essentially, edge computing helps overcome limitations of cloud-based IoT systems, and is therefore imperative to real-time, secure, and scalable IoT. Future work should consider the integration of hybrid edge-cloud models, self-healing schemes, and more robust rigorous security solutions in order to fine-tune its applicability.

Keywords: Edge Computing, Internet of Things (IoT), Latency Reduction, Bandwidth Optimization, Real-Time Data Processing, Cloud Computing, Scalability, Network Congestion, IoT Performance, 2025 Technology Trends

1. Introduction

Internet of Things (IoT) is now an established technology interface for smart products, services, homes, health care, industries, cities and almost every technology component that requires automation of physical objects. The huge amount of information produced by billions of IoT devices is often a major concern for data analysis and management, not to mention real-time decision-making. Most of the currently used models for cloud computing are not sufficient to address the needs of IoT namely they are based on centralized data processing which is not enough to address the complexity of Internet connected objects (Satyanarayanan, 2017).

Therefore, edge computing has been proposed as a solution to these issues due to its ability to perform data processing nearer to the point of origin in order to improve IoT capabilities. Edge computing is a concept that aimed at processing data as close to its sources as possible instead of performing calculations in a distant data center or in the cloud. This transition from cloud-based to edge-based computing is informed by the ongoing move to real-time responses, low consumption of bandwidth and great reliability when dealing with IoT settings (Qasim et al. 2022). This article presents edge computing as an approach that shifts data processing and analysis to the edges of the network, near the devices and eliminates the necessity of fully relying on



cloud infrastructure which has a positive impact on the system's performance and efficiency gains (Shi et al. 2016).

Lower latency is another benefit that comes with edge computing to IoT applications; these types of applications present the highest demands for low latency. As for the traditional cloud computing models, data goes from the device to a remote data center, processed there, and then sent back to the device. This round-trip time can look like as a problem if it takes too long, and it does in many applications, which involve real-time or faster data exchange like autonomous cars, factory automatization, and telemedicine. This problem is solved by edge computing, which undertakes most of the data processing either at the device level or at the network boundary, so as to minimize latency and allow for faster decision making (Bonomi et al. 2012).

Also, edge computing prevents unnecessary data transfer in large numbers to central units by improving the usage of bandwidth. In IoT systems, objects constantly produce enormous amounts of data many of which may be irrelevant and can be discarded at the edge. Edge computing enables filter and initial computations to be performed on the collected data at the point of origin before sending only useful data to the cloud service. This approach not only helps to minimize network overload but also decreases the overall cost of forcing data transmission and storage IoT much more effective and less expensive (Zhang et al. 2011).

Integration of edge computing with IoT also improves the security and privacy protection of information as well. The data in a cloud-based system can travel through the internet to reach the central server making it more vulnerable to security threats and breaches. Due to the processing of the many sensitive data locally in edge devices, there is reduced probability of data interception and access (Fatah and Qasim 2022). Moreover, edge computing can support the applications of the localized security that suits the contextual needs of each IoT application more effectively than others, which enhances the IoT security even more (Roman,et al. 2018). However, the implementation of edge computing in IoT comes with some drawbacks. The decentralized manner of edge computing complicates the overall administration and coordination of numerous edge devices. Evaluating and maintaining the coherence, dependability, and fail-safe mechanisms needed in a distributed framework of edge nodes is a complex endeavor. Moreover, due to the fact that IoT devices are diverse and use different protocols,

interoperability issues arise and this calls for standardization which made easy for the two devices to communicate (Varghese and Buyya 2018).

By the year 2025, the importance of edge computing in improving IoT capabilities can be expected to be even more significant. As 5G networks are expecting ultra-low latency, high bandwidth where edge computing and IoT solution will find more opportunities to work together in variety of real time application areas like smart city, autonomous systems, digital health sector etc. Extension of computing to the edge, particularly in light of 5G connectivity as the undercurrent of future IoT systems, will mean that such systems will be able to capture data, analyze it, and funnel the results back, at high speed (Taleb et al. 2017).

Edge computing is a significant paradigm shift in the IoT systems architecture and implementation models of IoT systems. Due to the shortcomings of the standard model of cloud computing, the Edge computing improves the efficiency, flexibility, and overall security levels of the IoT solutions. With the development of advanced technology in the future, the integration of IoT will the key point of the IoT and innovative smart devices. The next sections of this article will detail how edge computing is expected to improve IoT capabilities by 2025, including the newest findings, difficulties, and improvements in this quickly growing area.

1.1. Study Objective

This article aims to review the literature on the impact and relevance of edge computing in improving the performance of IoT systems by 2025. As IoT expands into various application areas, the challenge of managing large volumes of data becomes critical, necessitating real-time data analysis. While conventional cloud models provide substantial solutions across a broad range of contexts, they do not adequately address the low-latency, high-bandwidth, and security requirements of IoT applications. This article seeks to explore how edge computing, as a new computing paradigm, can help overcome these limitations and shape the future of IoT systems.

The objectives of this article are as follows: to thoroughly discuss and explain how edge computing reduces latency, enhances bandwidth, and scales IoT systems. By processing data near the source, edge computing can significantly enhance real-time decision-making for applications such as self-driving cars, smart industry and manufacturing, and smart healthcare. The



article will also examine the security aspect of edge computing and how bringing computation closer to data reduces the security vulnerabilities inherent in transferring data across the internet.

Additionally, the article aims to explore the relationship between edge computing and emerging technologies such as 5G networks, and how this synergy is likely to unlock new potentials for IoT by 2025. The combination of edge computing with 5G is expected to fundamentally transform IoT by enabling extremely low end-to-end latency and very high throughput data rates, thus allowing for more sophisticated and interactive IoT applications. The article will also highlight and analyze the challenges and drawbacks of using edge computing in IoT, including issues related to device diversity, integration, and distribution. By addressing these challenges, the article seeks to offer future research directions and solution strategies to optimize the use of edge computing for IoT in the coming years.

1.2. Problem Statement

The world is rapidly connecting virtually everything to the Internet, leading to an overwhelming number of device endpoints that generate massive amounts of data, which cannot be easily analyzed and processed. The centralized cloud computing models, which have historically underpinned data processing in IoT systems, are increasingly unable to meet the latency, bandwidth, and security requirements of advanced IoT applications. As IoT expands into critical fields such as healthcare, transport, and industrial engineering, the disadvantages of cloud architectures become more pronounced, particularly in scenarios requiring real-time data processing for decision-making.

One of the primary concerns with conventional cloud computing in IoT systems is the excessive time required for data transfer to remote data centers for analysis. This delay is undesirable in applications that demand real-time analytics, such as self-driving cars, health monitoring, and industrial automation. The use of centralized cloud infrastructure also contributes to traffic growth, as massive amounts of raw data are transferred over the network, leading to network overload and higher costs.

Moreover, the centralization inherent in cloud computing poses significant security and privacy threats. Data must traverse multiple network layers to reach the cloud, increasing the risk of interception and unauthorized access.

This is especially problematic in IoT environments that often handle sensitive and personal information.

Additionally, traditional cloud system architectures struggle with scalability. As the number of IoT devices increases, centralized processing systems face challenges such as congestion and reduced efficiency. The high variability of IoT devices and the diverse protocols they employ further complicate integration, making the incorporation of new IoT devices and technologies more confusing.

To address these challenges, IoT systems require a distributed approach to data processing. Some of the aforementioned issues can be mitigated by edge computing, which involves processing data closer to the source. However, the impact and efficiency of edge computing in enhancing IoT capabilities have not yet been critically assessed, which this article aims to address.

2. Literature Review

Edge computing is a new concept on how to deal with the data processing in the IoT paradigm. Currently, IoT is still growing, and the drawbacks of conventional cloud computing have been evident, particularly in the massive amount of data generated by billions of connected devices. Critical limitations inherent in cloud computing include high latency, limited bandwidth, and significant security concerns due to its centralized architecture, which makes it unsuitable for real-time IoT applications. These challenges have boosted the use of edge computing as a potential solution to boost the performance and scalability of IoT systems (Kong et al. 2022).

Edge computing is similar to cloud computing but allows computing resources near the gathered data points. This physical closeness is critical to minimize latency, which is always undesirable in AI systems and is a disaster in applications with real-time requirements like driverless cars, intelligent manufacturing, and telehealth. Through the processing of data at the network edge, edge computing lowers the amount of time required to analyze and respond to data, making IoT systems more reactive and efficient as a result. This capability is particularly useful for applications where time is of the essence, for instance in emergency call services in case of fire alarms or in industrial processes where a split second can mean the difference between productivity and a breakdown (Odema et al. 2023).



Beside latency reduction, the edge computing also solves another problem, which is bandwidth usage. In the typical cloud model, all the data that come from the IoT devices are processed through the cloud, which has the disadvantage of overwhelming the channel and high cost due to the transfer of much data needed for processing (Jawad Aqeel Mahmood 2022; Uliana latsykovska. Khlaponin Yuriy 2018). This issue is solved by edge computing which facilitate preliminary data processing at the edge of the network to allow only the most crucial data to be sent to the cloud for additional analysis or storage. The processing that is done locally also helps in saving bandwidth but at the same time it also proves to be vital in the scalability of the IoT systems and hence making the IoT systems much more efficient and cost effective (Liu et al. 2022).

Security and privacy are also other fundamental factors in the adoption of IoT since some of the data being processed may be sensitive. The centralization of cloud computing makes data vulnerable to attacks since it processes it through a network to arrive at cloud servers. Edge computing on the other hand present a more secure usage of the collected information as they are stored closer to their point of origin to minimize on instances where they can be intercepted while being transmitted (Qasim and Pyliavskyi, 2020). Moreover, edge computing is valuable as it enables creating finer-grained context-based security at the application level rather than at an IoT application per se (Ometov et al. 2022).

There are, of course, some drawbacks with edge computing, but the benefits are evident and comprehensive. New challenges arise with the distributed setup of edge architectures that implies difficulties in the management and organization of a large number of devices at the edge of the network. The solutions that these distributed nodes have to conform to must provide for consensus, availability, and tolerance for faults. Also, there are many IoT devices and protocols that make it difficult to achieve interoperability of complicated peripherals into a sound edge computing system.

3. Methodology

3.1. Experimental Design

This research utilized a sophisticated testbed developed for the realistic emulation of cloud and edge computing-based IoT systems. The testbed

comprised conventional IoT devices, including temperature sensors, motion sensors, and environmental sensors, akin to those used in smart cities, industries, and healthcare. These devices were positioned near the edge nodes, with each node having computational capacities comparable to a Raspberry Pi 4 or Jetson Nano. The original cloud model utilized a central server facilitated by Amazon Web Services (AWS). This experimental configuration was designed to capture performance results under idealized conditions, thereby enabling a comparative analysis between cloud and edge computing models (Shi et al. 2016).

3.2. Latency Measurement

Latency (L) was a vital performance parameter defined as the total time taken between the creation of data at the IoT device and their processing at the selected node or cloud server and then back. The latency equation used in this study is:

$$L = T_r + T_p + T_f + \sum_{i=1}^{N} (T_{d_i} + T_{q_i})$$
 (1)

Where T_r is round-trip communication delay; T_p processing delay at the edge node or cloud server; T_f is feedback delay to IoT devices; T_{d_i} means propagation delay through iii-th network segment; T_{q_i} shows queuing delay at i-th node in the data path; and N total network nodes traversed.

By processing data closer to the source, edge computing minimizes T_r and T_{q_i} , achieving significant reductions in L, which is crucial for time-sensitive applications like autonomous systems and telemedicine (Satyanarayanan 2017; Taleb et al. 2017). These measurements highlight the significant reduction in latency achieved by edge computing, particularly in time-sensitive applications (Qasim et al. 2024).

3.3. Data Collection and Preprocessing

IoT devices generated diverse datasets to simulate real-world environments, such as traffic control, industrial automation, and healthcare monitoring. Preprocessing was applied to filter noise and prioritize relevant data.

$$D_{preprocessed} = \frac{D_{raw} - D_{noise}}{D_{raw}} \times 100$$
 (2)

Where D_{raw} is total raw data generated, and D_{noise} irrelevant or redundant data removed.



This step reduced bandwidth usage and enhanced real-time performance by ensuring only actionable data reached processing nodes (Shi et al. 2016; Liu et al. 2022).

3.4. Simulation Environment Setup

Furthermore, to assess the advancements provided by the edge computing as compared to the conventional cloud-based IoT systems, the simulations were performed on a combined computational model. The setting of the simulation was chosen carefully to give a reliable picture of the real world to make the results quite tangible.

Edge Environment: Edge nodes were modeled with MATLAB/Simulink, which is a rather solid workbench for the represented type of simulation and provides good accuracy in modeling the localized data processing schemes. This environment emulated the computing prowess of devices such as Raspberry Pi 4 and Jetson Nano that are typical in edge computations.

Cloud Environment: For Cloud based processing, to mimic the central data management and analysis, AWS IoT Core was employed. This platform was very beneficial in offering the computational capabilities, to simulate the conventional cloud-based type of structural model.

Network Infrastructure: Optical fiber 5G was incorporated into the simulation platform to imitate genuine network performance. This allowed the study to consider low latency and high bandwidth features necessary in current IoT applications as self-propelling cars, industrial processes, and remote health monitoring.

Simulation Efficiency Metric: To confirm the authenticity of the simulation model and its resemblance to actual performance. Simulation efficiency $(S_{efficiency})$ of the model was determined by the following formula:

$$S_{efficiency} = \frac{\sum_{k=1}^{N} T_{k,simulated}}{\sum_{k=1}^{N} T_{k,real}}$$
(3)

Where $T_{k,simulated}$ is task execution time in simulation; $T_{k,real}$ is task execution time in real-world setups, and N is total number of tasks executed.

This metric assessed the alignment between simulated task execution times and those observed in real-world setups. A high $S_{efficiency}$ score indicated close approximation of simulation results to actual system behavior, thereby confirming the validity of the experimental model.

The hybrid simulation approach ensured that the performance metrics,

such as latency, bandwidth usage, and processing efficiency, were accurately measured and reflected real-world conditions. By incorporating realistic network dynamics and leveraging sophisticated simulation tools, this setup provided a reliable foundation for evaluating edge computing's transformative impact on IoT systems (Bonomi et al. 2012), (Hashim, Jawad, and Yu 2022).

3.5. Bandwidth Usage Analysis

Bandwidth (B) usage was assessed by measuring the amount of data transmitted between IoT devices and the processing unit, expressed in megabytes per second (MBps). The reduction in bandwidth was calculated using the following equation:

$$B = \int_{t_0}^{t_1} [R_c(t) - R_e(t)] dt$$
 (4)

Where $R_c(t)$ is rate of data transfer in cloud-based IoT; $R_e(t)$ is rate of data transfer in edge-based IoT; and t_1, t_0 is time intervals for measurement.

Edge computing reduces *B* by filtering redundant or unnecessary data at the edge nodes, ensuring only processed and relevant data is transmitted to the cloud (Shi et al. 2016; Kong et al. 2022). This significant reduction in bandwidth usage underscores the efficiency of edge computing in optimizing data transmission (Bonomi et al. 2012).

3.6. Statistical Validation

To ensure the reliability of the findings, rigorous statistical validation was applied to the performance metrics, including latency reduction, bandwidth optimization, and processing efficiency. Regression analysis was employed to identify relationships between independent variables, like system configurations and dependent variables, such as latency or bandwidth metrics. This helped establish the significance and consistency of edge computing's impact across different scenarios.

Additionally, confidence intervals (C1) were calculated to quantify the precision of the observed improvements. The confidence interval was determined using the equation:

$$CI = \bar{X} \pm Z \cdot \frac{\sigma}{\sqrt{n}} \tag{5}$$

Where \bar{X} is mean of the sample metric; Z z-score corresponding to the desired confidence level, 95%; σ means standard deviation of the sample; n and number of observations.



The confidence intervals provided a range within which the true metric values likely fell, allowing for robust conclusions. For instance, a high confidence level (e.g., 95%) reinforced the statistical significance of edge computing's advantages in latency reduction and resource efficiency. These validation techniques ensured the reliability of the results and strengthened the overall credibility of the study's findings (Varghese and Buyya 2018), (Shi et al. 2024).

3.7. Task Offloading Framework

A dynamic task offloading strategy balanced workloads between edge nodes and cloud servers, minimizing resource bottlenecks.

$$T_{optimal} = \underset{T_i}{\text{minimize}} \sum_{i=1}^{M} (C_{i,edge} + C_{i,cloud})$$
 (5)

Where $C_{i,edge}$ is cost of processing task i at the edge, $C_{i,cloud}$ cost of processing task i in the cloud.

Task offloading improved processing efficiency while optimizing resource utilization (Kong et al. 2022), (Abouaomar et al. 2021).

3.8. Security Risk Assessment

Security risks (S) were evaluated by identifying vulnerabilities in both cloudbased and edge computing systems. The assessment considered risks such as data interception, unauthorized access, and data tampering. The likelihood and impact of these risks were quantified using a risk assessment matrix, where the security risk R was calculated as:

$$S = \sum_{j=1}^{M} (P_j \cdot I_j)$$
 (6)

Where P_j probability of security breach; I_j impact of the breach on the system; and M total number of identified security threats. The localized processing in edge computing significantly reduces P_j , thereby lowering S as the attack surface area diminishes (Roman, Lopez, and Mambo 2018), (Ometov et al. 2022).

The results demonstrate the enhanced security offered by edge computing, particularly in reducing exposure to interception and unauthorized access (Qasim and Jawad 2024).

3.9. Processing Efficiency Evaluation

Processing efficiency was determined by calculating the time taken to

process a data packet from its generation to the feedback provided to the IoT device. Processing times were measured in microseconds (μ s) using the equation:

$$E = \frac{1}{N} \sum_{k=1}^{N} \frac{1}{T_{k}}$$
 (7)

Where N total number of tasks processed and T_k processing time for the k-th task. Edge nodes demonstrate higher E by leveraging proximity to IoT devices and minimizing T_k compared to cloud systems (Bonomi et al. 2012), (Abouaomar et al. 2021). The data show a significant improvement in processing efficiency with edge computing, indicating it's to handle real-time data more effectively (Shi et al. 2024).

3.10. Data Integrity and Consistency

Data integrity (I) and consistency (C) are critical for ensuring reliable IoT operations, particularly in sensitive applications like healthcare.

$$\Delta C = \left(\frac{c_e}{c_c} - 1\right) \times 100 \tag{8}$$

Where \mathcal{C}_c data consistency in cloud systems and \mathcal{C}_e data consistency in edge systems.

Edge computing enhances \mathcal{C} by processing data locally, thereby reducing transmission errors and maintaining higher fidelity (Zhang et al. 2011), (Yu et al. 2018).

3.11. System Performance Simulation

Simulations were conducted across smart city traffic, industrial automation, and healthcare scenarios using a modular testbed.

Performance Metric Aggregation: To comprehensively evaluate the system, aggregated metrics (P) for latency, bandwidth, security, and efficiency were defined as:

$$P = w_1 \cdot \frac{L_c - L_e}{L_c} + w_2 \cdot \frac{B_c - B_e}{B_c} + w_3 \cdot \frac{S_c - S_e}{S_c} + w_4 \cdot \frac{E_c - E_e}{E_c}$$
(9)

Where w_i is weightage for each metric, summing to 1, and subscripts c and e are denoting cloud and edge computing respectively.

3.12. Algorithm Design

The computational algorithms were implemented to model and validate performance improvements.



Latency Reduction Algorithm:

$$L_{reduction} = \frac{L_c - L_e}{L_c} \times 100 \tag{10}$$

Bandwidth Optimization Algorithm:

$$B_{reduction} = \frac{B_c - B_e}{B_c} \times 100 \tag{11}$$

The performance for all these algorithms showed a constant enhancement in edge computing situations across all the cases (Varghese and Buyya 2018), (Qasim and Jawad 2024)

These equations and algorithms constitute the basis for assessment of how edge computing revolutionizes performance of IoT technologies. This methodology defines handlers addressing latency and bandwidth, processing efficiency, and security that measures the benefits of decentralizing data processing on the edge of the network to provide a quantitative tool for future IoT development (Odema et al. 2023), (Xiao et al. 2019).

4. Results

The results comprehensively demonstrate the improvements achieved by edge computing across key performance metrics, measured under various IoT scenarios: Smart City Traffic Monitoring, Process Control and Automation, and Remote Health Monitoring. Such metrics include; Latency minimization, bandwidth optimization, our security risk outlook, processing speed, and system scalability. These have been broken down into specific subheadings of each metric are provided in individual tables alongside a more detailed discussion of the results and their applications.

حاه صلوم أنساني ومطالعات

4.1. Latency Reduction

Real-time systems are a key characteristic of IoT systems; thus, latency is an essential component in the performance metric. In the study it measured the latency reductions realized by the edge computing for the various task categories and responses for each use case scenario. The following table splits into multiple tasks, providing latency metrics for each of the identified scenes and demonstrating the tremendous enhancements given by edge processing.




Figure 1. Comparative Analysis of Latency Metrics Across IoT Scenarios: Cloud-Based vs. Edge-Based Performance with Reduction Insights

The specific reductions for each task within the various scenarios are presented in percentage form, ranging from 40% to 82%. For example, the latency in traffic signal control in smart cities demonstrated the highest improvement, decreasing from 250 ms to 45 ms. Industrial robotic operations similarly benefited, with latency reductions cushioned at over 77%.

The results presented in this paper illustrate the benefits of edge computing in real-time and low-latency applications. Future integration into self-driving cars and emergency services can enhance the safety and functionality of these systems. Future academic research could focus on further reducing latency in specific applications by employing more advanced algorithms. In contrast, application-oriented work could enhance the integration of related edge nodes into primary infrastructures.

4.2. Bandwidth Optimization

The utilization of bandwidth was also measured in several varieties of data transmission in IoT cases. By pre-processing the data before its transmission using edge computing, the overall data transfer is significantly reduced and thus, big savings on bandwidth is surely possible. The next table divided according to the type of data looks as follows (Figure 2).




Figure 2. Bandwidth Optimization Metrics for Various IoT Data Types: Cloud-Based vs. Edge-Based Transmission with Reduction and Data Savings Insights

The utilization of bandwidth was also measured in several varieties of data transmission in IoT cases. By pre-processing the data before its transmission using edge computing, the overall data transfer is significantly reduced and thus, big savings on bandwidth is surely possible. The next table divided according to the type of data looks as follows:

Reduction in myriad achieved by edge computing varies between 65% and 68% with regards the data types. This was the highest level of bandwidth savings through traffic video feeds cutting down data transmission by about 820 GB/day as recorded from the feeds. Likewise, there was a bandwidth optimization in the use of diagnostic imaging in healthcare applications decreasing daily data usage by 850 GB.

These outcomes highlight the extendibility of the edge computing to tackle the large bandwidth IoT applications where data density is high such as the health care and smart cities industries. Future developments could for instance concentrate on dynamic edge compression methods to improve even further the bandwidth demand. On the subject-academic front, future studies should consider exploring the reallocation of Bandwidth in function of task-crucial edge-cloud frameworks.

4.3. Security Risk Mitigation

The threats affecting security were reviewed based on specific threat types

such as interception, illegitimate access, and modification. Some of the highlighted risks with data transfer are minimized since edge computing is a localized computing solution.

Table 1. Security Risk Assessment Metrics Across IoT Categories: Cloud-Based vs. Edge-Based Risk Levels and Reduction Insights

Scenario	Risk Category	Cloud- Based Risk	Edge- Based Risk	Risk Reduction (%)	Average Number of Threats /Month	Reduced Threats /Month
Smart City Traffic Monitoring	Data Interception	High	Medium	50	30	15
	Unauthorized Access	Medium	Low	66.67	18	12
Industrial Automation	Data Tampering	Medium	Low	66.67	20	13
	System Intrusions	High	Medium	50	25	13
Healthcare Monitoring	Patient Privacy	High	Medium	50	28	14
	Unauthorized Access	High	Low	66.67	22	15

Edge computing has potential security savings of up to 66.67% cutting across the various categories. For instance, unauthorized access in healthcare monitoring which occurred frequently at a high risk in cloud-, decreased monthly threat of 15 in edge-based systems. Likewise, regarding data interception as a risk of smart city applications, it also decreased by 50%.

Subsequent deployments can incorporate blockchain in affirmation processes through distributed ledger for improved security confirmation and build-in edge AI security frameworks for intrusion detection. Scientifically, research should look into authentication and secure communication protocols that are periphery specific for the given IoT application, which are GDPR and HIPAA compatible.

4.4. Processing Efficiency

The processing efficiency metric was employed to determine the capacity of IoT systems to handle and process data in real-time. Edge computing makes the time taken to complete tasks faster because there is close proximity



between IoT devices and processing units. This section categorizes processing times across several IoT operations.




Figure 3. Processing Efficiency Metrics Across IoT Operations: Cloud-Based vs. Edge-Based Performance with Improvement Analysis

Figure 4 indicates processing efficiency increased by approximately 73% irrespective of the given number of scenarios. The signal coordination tasks in the context of smart city traffic systems decreased from 1200 μs to 320 μs , this makes edge computing ideal for real time urban environments. The application of Robotics in Industrial Automation equally underwent enhancements with more focus on accuracy in manufacturing.

Additional applications could extend to drive-based predictive maintenance applications where nearby computation curtails failures. Machine learning approaches could be scholarly examined as lightweight models that are capable of operation on edge devices in an optimal manner.

4.5. Scalability Analysis

Scalability was evaluated to determine on how edge computing addresses rising IoT devices loads without compromising on the outcomes. This section assesses the integrated manner in which the network is sustained and managed to offer optimum service as more units connect.



Figure 4. Scalability Performance Metrics Under Load: Comparative Analysis of Cloud-Based and Edge-Based Systems

During Edge computing, the performance drops were kept below the 40% mark even with the load increasing 200%. Conversely, the cloud-based systems recorded similar increases in response times but measured at 70%–75% when under comparable conditions. For instance, when it came to smart city traffic monitoring, the latency was higher with edge systems 50 ms as compared to the cloud systems' 140ms.

Further implementations might be useful for load balancing taking into consideration how tasks are allocated over the edge nodes. Future research papers could focus on multi-layer edge architectures to enhance scalability in high-density IoT scenarios.

4.6. Data Integrity and Consistency

Data integrity and consistency were further examined to develop efficient information processing and achieve high performance with special focus on healthcare and industrial application. This section compares the frequency at which the data is synchronized given certain conditions.




Figure 5. Data Integrity and Consistency Metrics: Cloud-Based vs. Edge-Based IoT Systems with Improvement Analysis

The overall integrity and consistency of data were higher in edge computing models compared to cloud-based systems, and they remained consistently superior across all iterations. For instance, data accuracy in industrial automation improved by 9.01%, and consistency rates in healthcare monitoring increased by up to 9.48%.

Future implementation of this architecture might incorporate edge-based data validation to maintain high data fidelity in critical use cases. From an academic perspective, further development of edge-centric error-correction algorithms can enhance dependability in IoT applications that heavily rely on data.

The findings of this study clearly demonstrate how edge computing has revolutionized IoT, highlighting marked improvements in areas such as latency, bandwidth usage, security, processing power, flexibility, and data accuracy. These results underscore the current opportunities presented by edge computing to transform IoT systems and pave the way for future advancements in this research field and the application of these concepts.

For future studies, it is essential to establish efficient edge-cloud configurations that allocate resources to meet requirements, balance loads, and implement adequate edge nodes to facilitate integration with cloud systems. Additionally, enhancing the protection of localized data processing against new intrusion risks is crucial, especially for applications handling sensitive inputs. Further efforts should also focus on developing algorithms

that enable IoT systems to execute real-time tasks effectively while accommodating the dynamic characteristics of the network.

From a practical perspective, the use of edge nodes should be prioritized in key infrastructure areas where low latency and high reliability are most critical, including traffic management systems and emergency communications networks. Healthcare systems will also benefit from edge computing by accelerating patient data processing while ensuring high security in diagnosis and monitoring. In the context of industrial IoT systems, edge computing can improve automation, prognosis, and operational expandability. These implementations will ensure that successive IoT networks possess the optimal characteristics and responsiveness required by next-generation applications and services, thereby expanding the prospects for the development of smart systems.

5. Discussion

Consequently, this study establishes significant proof of the effectiveness of edge computing on IoT systems. In light of the deficiencies of conventional cloud architecture, including high latency, low bandwidth, security risks, and the impracticality of data processing at the edge, edge computing emerges as a critical breakthrough in IoT (Jawad Ageel Mahmood, 2022). The findings shared in this study show the enhancements in the response time of the applications and services in real-time including smart city smart traffic monitoring, smart manufacturing, and smart healthcare. Perhaps the most significant effect is the overall minimization of latency that is caused by using edge computing. The current approaches to cloud-based IoT architectures have multiple disadvantages associated with latency caused by the distance between data generating entities and centralized computing resources. The outcomes of this research demonstrate that while the average latency is reduced by 80% in different cases, edge computing satisfies the high realtime characteristic of current IoT applications. This underscores the role of proximity highlighted in previous work where it was found that it plays a central part in reducing latencies and improving system performance (Qasim et al. 2022).

Another important advantage identified in this research is that of bandwidth optimization. IoT systems without ceasing always feed data that need to be processed analyzed and stored. In this form of model, all this data



is relayed to a central server hence causing network congestion besides incurring more costs in operations. According to the study the use of edge computing lowered bandwidth consumption by about 65% to 68%due to processing of data by the local nodes with the only passing of the basic details to the cloud. This optimization not only reduces the burden on the network utilization but also reduces the expenses dramatically, which makes the IoT systems cheaper and easier to scale (Yu et al. 2018).

Security enhancements is another major benefit of model brought by edge computing. Outsourcing central data processing to edge nodes inherent to edge computing minimizes the exposure of the big data to threats during transit. The risk assessment in this study reveals that edge computing cuts security risks such as data interception, unauthorized access, and data sabotage by half to two-third. These outcomes also corroborate current opinions that edge computing offers IoT a more secure environment, especially where the information is significant and delicate (Roman, et al. 2018).

Overall throughput time or time needed to turn data from generation to feedback also received a significant boost with edge computing. The comparative analysis demonstrated an uplift of about 73% in terms of processing improvement through edge computing for each of the outlined cases. This is particularly relevant for the applications which require the fast analysis of the data and quick response time such as in industry automation and healthcare. This level of decentralization combined with restrictions of data transfer ensures that edge computing allows for efficient operation of IoT systems required for handling real time applications (Fang and Ma, 2021).

These findings support the assertion made in prior work that edge computing is not just an enhancement of cloud computing but a new way of processing data in IoT contexts. Previous studies have mainly discussed the conceptual advantages of edge computing in markets, including low latency, efficient bandwidth, and strong security. Nevertheless, this study shows how much these benefits amount to for the strategic functions, thus supporting the theoretical benefits introduced by the prior theorists (Taleb et al. 2017)

Also, the general approach presented in the study which analyses several IoT scenarios gives a wider view of the usage of edge computing in different industries. Prior studies, however, were rather application-based, illuminating particular fields, like smart grids or autonomous vehicles, which, despite their

significance, fail to give a comprehensive picture of the usage of edge computing across several IoT areas. Thus, the presented paper adds knowledge about how edge computing can be used to enhance the IoT effectiveness in different situations: smart city traffic monitoring; industrial automation; and healthcare (Satyanarayanan, 2017).

Consequently, this study provides insights into edge computing as a key technology for IoT's future. These advancements in latency, bandwidth consumption, security, and processing break throughs demonstrate its potential to transform IoT architectures by enhancing their sensitivity, capacity, and safety. In the future, as IoT develops even further, the use of edge computing is going to play a crucial role in the ability of IoT systems to meet the needs of real-time, large data processing applications.

6. Conclusion

This article provides a systematic review of the literature addressing the changes that have occurred in IoT through EC in tackling challenges related to latency, bandwidth, security, scalability, and data integrity. The findings support the role of edge computing as a necessary approach to adapt to the challenges posed by the current cloud-centric architecture, particularly in latency-sensitive, bandwidth-intensive, and security-sensitive IoT applications. Edge computing must process data as close to the source as possible to eliminate issues such as slow response times, inefficient bandwidth consumption, and security lapses, which are critical in modern next-generation IoT systems.

The research questions for this study were as follows: the impact of edge computing on IoT performance and its scalability and flexibility in complex scenarios. The study concludes that edge computing indeed decreases latency and the amount of required bandwidth while increasing data reliability and security levels. Additionally, the work demonstrates that the proposed solution is easily scalable as more IoT systems are integrated into the environment, thereby ensuring positive performance through cooperation. This scalability ensures that edge computing becomes an enabler of new developments in fields such as autonomous driving, smart cities, and industries.

Furthermore, the study shows that real-time decisions can be made through edge computing, making it a crucial solution for applications such as



healthcare monitoring, where speed is essential. It also explains how edge computing can function across various sectors and environments – from city facilities to industrial robots. These advancements align with the goals of achieving increased efficiency and dependability of IoT technologies to address practical concerns in large-scale applications.

Several future research directions can be identified. Future research should develop edge-cloud architectures where resources can be distributed between local and centralized systems to enhance performance more effectively. There is also a growing need for new security measures tailored to edge-based systems to protect them against next-generation threats. Additionally, efficient algorithms developed for real-time task management should be employed to improve the real-time and adaptive characteristics of edge-based IoT networks.

The main emphasis for practical solutions should lie in deploying edge nodes in industries, healthcare, and IoT business domains, where edge computing productivity is most significant. Moreover, academia and industry must strengthen their collaboration to tackle real-life problems in the provisioning of edge computing solutions at scale. By promoting these initiatives, edge computing can further establish itself as an essential platform for smart systems, ensuring that IoT infrastructures effectively and safely meet the challenges posed by an increasingly digital world.

References

- Abouaomar, A., Cherkaoui, S., Mlika, Z., and Kobbane, A. (2021). Resource Provisioning in Edge Computing for Latency-Sensitive Applications. *IEEE Internet of Things Journal*, 8 (14), 11088-11099.
 - https://doi.org/:10.1109/JIOT.2021.3052082
- Bonomi, F., Milito, R., Zhu, J., and Addepalli, S. (2012). Fog computing and its role in the internet of things. *Proceedings of the first edition of the MCC workshop on Mobile cloud computing,* Helsinki, Finland.
 - https://doi.org/:10.1145/2342509.2342513
- Fang, J., and Ma, A. (2021). IoT Application Modules Placement and Dynamic Task Processing in Edge-Cloud Computing. *IEEE Internet of Things Journal*, 8 (16), 12771-12781. https://doi.org/:10.1109/JIOT.2020.3007751
- Fatah, O. R., and Qasim, N. (2022). The role of cyber security in military wars. PCSITS-V International Scientific and Practical Conference, 2022, 78 (06), 114-116
- Hashim, Q. N., Jawad, A.-A. A. M., and Yu, K. (2022). Analysis of the State and Prospects of LTE Technology in the Introduction of the Internet Of Things.

- Norwegian Journal of Development of the International Science, (84), 47-51. https://doi.org/:10.5281/zenodo.6540099
- Jawad Aqeel Mahmood, Q. N. H., Jawad Haider Mahmood, Abu-Alshaeer Mahmood Jawad, Nordinc Rosdiadee, Gharghand Sadik Kamel (2022). Near Field WPT Charging a Smart Device Based on IoT Applications. CEUR. https://ceurws.org/Vol-3149/paper7.pdf
- Kong, L., Tan, J., Huang, J., Chen, G., Wang, S., Jin, X., Zeng, P., et al. (2022). Edge-computing-driven Internet of Things: A Survey. ACM Comput. Surv., 55 (8), Article 174. https://doi.org/:10.1145/3555308
- Liu, J., Zhou, A., Liu, C., Zhang, T., Qi, L., Wang, S., and Buyya, R. (2022). Reliability-Enhanced Task Offloading in Mobile Edge Computing Environments. *IEEE Internet of Things Journal*, 9 (13), 10382-10396. https://doi.org/:10.1109/JIOT.2021.3115807
- Odema, M., Chen, L., Levorato, M., and Faruque, M. A. A. (2023). Testudo: Collaborative Intelligence for Latency-Critical Autonomous Systems. *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, 42 (6), 1770-1783. https://doi.org/:10.1109/TCAD.2022.3211480
- Ometov, A., Molua, O. L., Komarov, M., and Nurmi, J. (2022). A Survey of Security in Cloud, Edge, and Fog Computing. *Sensors*, 22 (3). https://doi.org/:10.3390/s22030927.
- Qasim, N., Jawad, A., Jawad, H., Khlaponin, Y., and Nikitchyn, O. (2022). Devising a traffic control method for unmanned aerial vehicles with the use of gNB-IOT in 5G. *Eastern-European Journal of Enterprise Technologies*, 3, 53-59. https://doi.org/:10.15587/1729-4061.2022.260084
- Qasim, N., and Pyliavskyi, V. (2020). Color temperature line: forward and inverse transformation. *Semiconductor physics, quantum electronics and optoelectronics*, 23, 75-80. https://doi.org/:10.15407/spqeo23.01.075
- Qasim, N. H., and Jawad, A. M. (2024). 5G-enabled UAVs for energy-efficient opportunistic networking. *Heliyon*, 10 (12), e32660. https://doi.org/:10.1016/j.heliyon.2024.e32660
- Qasim, N. H., Salman, A. J., Salman, H. M., AbdelRahman, A. A., and Kondakova, A. (2024). Evaluating NB-IoT within LTE Networks for Enhanced IoT Connectivity. 35th Conference of Open Innovations Association (FRUCT), 552-559. https://doi.org/:10.23919/FRUCT61870.2024.10516400
- Roman, R., Lopez, J., and Mambo, M. (2018). Mobile edge computing, Fog et al.: A survey and analysis of security threats and challenges. *Future Generation Computer Systems*, 78, 680-698. https://doi.org/:10.1016/j.future.2016.11.009
- Satyanarayanan, M. (2017). The Emergence of Edge Computing. *Computer*, 50 (1), 30-39. https://doi.org/:10.1109/MC.2017.9
- Shi, T., Cai, Z., Li, J., Gao, H., Qiu, T., and Qu, W. (2024). An Efficient Processing Scheme for Concurrent Applications in the IoT Edge. *IEEE Transactions on Mobile Computing*, 23 (1), 135-149. https://doi.org/:10.1109/TMC.2022.3219983
- Shi, W., Cao, J., Zhang, Q., Li, Y., and Xu, L. (2016). Edge Computing: Vision and

- Challenges. *IEEE Internet of Things Journal*, 3 (5), 637-646. https://doi.org/:10.1109/JIOT.2016.2579198
- Taleb, T., Samdanis, K., Mada, B., Flinck, H., Dutta, S., and Sabella, D. (2017). On Multi-Access Edge Computing: A Survey of the Emerging 5G Network Edge Cloud Architecture and Orchestration. *IEEE Communications Surveys & Tutorials*, 19 (3), 1657-1681. https://doi.org/:10.1109/COMST.2017.2705720
- Uliana latsykovska. Khlaponin Yuriy, Q. N., Dmytro Khlaponin, Igor Trush, Mikołaj Karpiński. (2018). Operation analysis of statistical information telecommunication networks using neural network technology. *IEEE. Conferences on Intelligent Data Acquisition and Advanced Computing Systems*, 460 (1), 199-203. https://doi.org/:10.1051/e3sconf/202346004003
- Varghese, B., and Buyya, R. (2018). Next generation cloud computing: New trends and research directions. *Future Generation Computer Systems*, 79, 849-861. https://doi.org/:10.1016/i.future.2017.09.020
- Xiao, Y., Jia, Y., Liu, C., Cheng, X., Yu, J., and Lv, W. (2019). Edge Computing Security: State of the Art and Challenges. *Proceedings of the IEEE*, 107 (8), 1608-1631. https://doi.org/:10.1109/JPROC.2019.2918437
- Yu, W., Liang, F., He, X., Hatcher, W. G., Lu, C., Lin, J., and Yang, X. (2018). A Survey on the Edge Computing for the Internet of Things. *IEEE Access*, 6, 6900-6919. https://doi.org/:10.1109/ACCESS.2017.2778504
- Zhang, Y., Yu, R., Xie, S., Yao, W., Xiao, Y., and Guizani, M. (2011). Home M2M networks: Architectures, standards, and QoS improvement. *IEEE Communications Magazine*, 49 (4), 44-52. https://doi.org/:10.1109/MCOM.2011.5741145



